

TIMCO SDS Ref No. SDS-04-AHS-20 / v2

Mitre Kit Superglue - Safety Data Sheet

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name:Mitre Kit SuperglueProduct Code:247321UFI:D6A3-AQYU-800X-N7JD

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC1: Adhesives, sealants.

1.3. Details of the supplier of the safety data sheet

Supplier:

T.I Midwood & Co. Ltd TIMCO House Green Lane Wardle Nantwich CW5 6BJ T.I Midwood & Co. Ltd Aviemore House Hill Street Monahan Ireland

Emergency Help Line: 01865 407333 (24 hour service)

Section 2: Hazards identifica	tion
2.1. Classification of the subs	stance or mixture
Classification under CLP:	STOT SE 3: H335; Eye Irrit. 2: H319; Skin Irrit. 2: H315; -: EUH202
	Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.
	Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of
	children.
2.2. Label elements	
Label elements:	
Hazard statements:	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
	H335: May cause respiratory irritation.
	EUH202: Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the
	reach of children.

Hazard pictograms: GHS07: Exclamation mark

Mitre Kit Superglue - Safety Data Sheet

Signal words:	Warning
Precautionary statements:	P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.
	P271: Use only outdoors or in a well-ventilated area.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P312: Call a if you feel unwell.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ETHYL-2-CYANOACRYLATE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
230-391-5	7085-85-0	-	Eye Irrit. 2: H319; STOT SE 3: H335;	>90%
			Skin Irrit. 2: H315	

Non-classified ingredients:

HYDROQUINONE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
204-617-8	123-31-9	-	Carc. 2: H351; Muta. 2: H341; Acute Tox. 4: H302; Eve Dam. 1: H318; Skin	<1%
			Sens. 1: H317; Aquatic Acute 1: H400	

Section 4: First aid measures

4.1. Description of first aid measures

 Skin contact:
 Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

 Eye contact:
 Bathe the eye with running water for 15 minutes. Consult a doctor.

 Ingestion:
 Wash out mouth with water. Consult a doctor.

 Inhalation:
 Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Polyethylene.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

ETHYL-2-CYANOACRYLATE

Workplace exposure limits:

Respirable dust

Sta	ıte	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
U	к	-	1.5 mg/m3	-	-

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Self-contained breathing apparatus must be available in case of emergency.Hand protection:Protective gloves.Eye protection:Safety glasses. Ensure eye bath is to hand.Skin protection:Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid
Colour:	Colourless
Odour:	Characteristic odour
Evaporation rate:	No data available.
Oxidising:	No data available.
Solubility in water:	Reacts with water.
Also soluble in:	Acetone.
Viscosity:	Viscous
Kinematic viscosity:	1200-1500

Viscosity test method: Cone and Plate @ 25°C (CPs)

Boiling point/range°C: >149 Flammability limits %: lower: No data available.

Flash point°C: 80-93.4 Autoflammability°C: 450 Relative density: 1.05

VOC g/I: <20

Melting point/range°C: No data available. upper: No data available. Part.coeff. n-octanol/water: No data available. Vapour pressure: <700 mbar pH: Not applicable.

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Moist air. Heat.

10.5. Incompatible materials

Materials to avoid: Water. Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values:

Route	Species	Test	Value	Units
DERMAL	RBT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>5000	mg/kg

Hazardous ingredients:

ETHYL-2-CYANOACRYLATE

	ORL	RAT	LD50	>5	ml/kg
--	-----	-----	------	----	-------

HYDROQUINONE

ORL	MUS	LD50	150	mg/kg
ORL	RAT	LD50	720	mg/kg
SCU	RAT	LDLO	300	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
STOT-single exposure	INH	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.
Waste code number: 08 04 09

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN3334

14.2. UN proper shipping name

Shipping name: AVIATION REGULATED LIQUID, N.O.S.

(ETHYL-2-CYANOACRYLATE)

14.3. Transport hazard class(es)

Transport class: 9

14.4. Packing group

Packing group: III

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	2015/830.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	EUH202: Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the
	reach of children.
	H302: Harmful if swallowed.
	H315: Causes skin irritation.
	H317: May cause an allergic skin reaction.
	H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

H341: Suspected of causing genetic defects <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H351: Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H400: Very toxic to aquatic life.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.



TIMCO SDS Ref No. SDS-04-AHS-20 / v2

Mitre Kit Activator - Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

1.1. Product identifier	
Product Name:	Mitre Kit Activator
Product Code:	247321
UFI:	CF07-G0R2-K002-9GCD
1.2. Relevant identified	d uses of the substance or mixture and uses advised against
	·
1.2.1. Relevant identified	uses
1.2.1. Relevant identified Intended for general public	uses
1.2.1. Relevant identified Intended for general public Use of the substance/mixtu	uses
1.2. Relevant identified 1.2.1. Relevant identified Intended for general public Use of the substance/mixtu Function or use category 1.2.2. Uses advised again	uses re : Adhesives, binding agents : Adhesives, binding agents

1.3. Details of the supplier of the safety data sheet

Supplier:

T.I Midwood & Co. Ltd TIMCO House Green Lane Wardle Nantwich CW5 6BJ T.I Midwood & Co. Ltd Aviemore House Hill Street Monahan Ireland

Emergency Help Line: 01865 407333 (24 hour service)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1	H222;H229
Skin corrosion/irritation, Category 2	H315
Specific target organ toxicity — Single exposure, Category 3, Narcosis	H336
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment — Chronic Hazard, Category 2	H411
Full text of H statements : see section 16	

Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. Causes skin irritation. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.2. Label elements		
Labelling according to Regulation (EC) N	lo. 1272/2008 [CLP]	
Hazard pictograms (CLP)	GHS02 GHS07 GHS09	
Signal word (CLP)	: Danger	
Contains	 Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane; Hydrocarbons, C6, isoalkanes, <5% n-hexanes 	
Hazard statements (CLP)	 H222 - Extremely flammable aerosol. H229 - Pressurised container: May burst if heated. H315 - Causes skin irritation. H336 - May cause drowsiness or dizziness. H411 - Toxic to aquatic life with long lasting effects. 	
Precautionary statements (CLP)	 P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use. P261 - Avoid breathing fume, gas, mist, spray, vapours. P264 - Wash hands thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P273 - Avoid release to the environment. P280 - Wear protective gloves, eye protection. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 - Call a doctor, a POISON CENTER if you feel unwell. P312 - Specific treatment (see supplemental first aid instruction on this label). P332+P313 - If skin irritation occurs: Get medical advice. P364 + Take off contaminated clothing and wash it before reuse. P391 - Collect spillage. P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C. P501 - Dispose of contents/container to contents and container a hazardous or special waste collection point. 	

2.3. Other hazards

Component		
Petroleum Gases, Liquefied: Petroleum Gas <0.1% 1,3 Butadiene(68476-85-7)	The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3.2. Mixtures			
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	(EC-No.) 921-024-6 (REACH-no) 01-2119475514-35	30 – 60	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Asp. Tox. 1, H304 STOT SE 3, H336 Aquatic Chronic 2, H411
Petroleum Gases, Liquefied: Petroleum Gas <0.1% 1,3 Butadiene	(CAS-No.) 68476-85-7 (EC-No.) 270-704-2 (EC Index-No.) 649-202-00-6 (REACH-no) 01-2119485911-31	30 - 60	Flam. Gas 1A, H220 Press. Gas (Comp.), H280
Hydrocarbons, C6, isoalkanes, <5% n-hexanes	(EC-No.) 931-254-9 (REACH-no) 01-2119484651-34	10 – 30	Flam. Liq. 2, H225 Asp. Tox. 1, H304 STOT SE 3, H336
Benzothiazole	(CAS-No.) 95-16-9 (EC-No.) 202-396-2 (REACH-no) 01-2119457568-24	0.1 – 1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 4 (Inhalation:vapour), H332 Eye Irrit. 2, H319 Aquatic Chronic 3, H412

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case. Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effects, both acute and delayed	
Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after ingestion	: Risk of lung oedema.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Water spray. Dry powder. Foam.		
5.2. Special hazards arising from the subst	ance or mixture		
Hazardous decomposition products in case of fire	: Toxic fumes may be released.		
5.3. Advice for firefighters			
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 6: Accidental release meas	ures		
6.1. Personal precautions, protective equ	. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnelEmergency procedures6.1.2. For emergency respondersProtective equipment	Avoid contact with skin and eyes.Do not attempt to take action without suitable protective equipment.		
6.2. Environmental precautions Avoid release to the environment.			
6.3. Methods and material for containment	nt and cleaning up		
For containment Other information	: Collect spillage. : Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections			

For further information refer to section 13.

SECTION 7: Handling and stor	age
7.1. Precautions for safe handling	
Precautions for safe handling	 Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including any incompatibilities	
Storage conditions	: Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

XBON ACTIVATOR (DMPT FREE)	
Belgium - Occupational Exposure Limits	
Local name	Pétrole (gaz liquéfié) # LPG
OEL TWA	1826 mg/m ³
OEL TWA [ppm]	1000 ppm
Remark (BE)	C: la mention "C" signifie que l'agent en question relève du champ d'application du titre 2 relatif aux agents cancérigènes, mutagènes et reprotoiques du livre VI du code de bien- être au travail. # C: de vermelding "C" betekent dat het betrokken agens valt onder het toepassingsgebied van titel 2 betreffende kankerverwekkende, mutagene en reprotoxische agentia van boek VI van de codex over het welzijn op het werk.
Regulatory reference	Koninklijk besluit/Arrêté royal 02/09/2018

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

MXBON ACTIVATOR (DMPT FREE)		
Croatia - Occupational Exposure Limits		
Local name	Naftni plinovi, ukapljeni (ako ne sadrži ≥ 0,1 % 1,3-butadiena); naftni plin; [[Složeni sastav ugljikovodika proizvedenih destilacijom nafte. Sastoji se od ugljikovodika s brojem ugljikovih atoma pretežito u području C3 do C7 i vrijući u području približno -40 °C do 80 °C (-40 °F do 176 °F).]]	
GVI (OEL TWA) [1]	1750 mg/m³	
GVI (OEL TWA) [2]	1000 ppm	
KGVI (OEL STEL)	2180 mg/m ³	
KGVI (OEL STEL) [ppm]	1250 ppm	
Naznake (HR)	Karc 1A, Muta 1B	
Regulatory reference	Pravilnik o izmjenama i dopunama Pravilnika o graničnim vrijednostima izloženosti opasnim tvarima pri radu i o biološkim graničnim vrijednostima (NN 91/2018)	
Poland - Occupational Exposure Limits		
Local name	Benzyna ekstrakcyjna	
NDS (OEL TWA)	500 mg/m ³	
NDSCh (OEL STEL)	1500 mg/m ³	
Remark (PL)	Obowiązuje równoległe oznaczanie stężeń benzenu w powietrzu.	
Regulatory reference	Dz. U. 2018 poz. 1286	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls: Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:	

Safety glasses

8.2.2.2. Skin protection

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin and body protection: Wear suitable protective clothing Hand protection: Protective gloves 8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties Physical state : Liquid Colour · Colourless. Appearance · Colorless gas or liquefied gas. Odour Characteristic odour. : Odour threshold No data available : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available Flammability : No data available Heating may cause a fire. Explosive limits : No data available No data available : No data available Lower explosive limit (LEL) Upper explosive limit (UEL) : No data available Flash point : < -40 °C Auto-ignition temperature : No data available Decomposition temperature · No data available Not applicable. pН No data available pH solution Viscosity, kinematic 0.39 mm²/s @40oC Viscosity, dynamic ≈ 0.265 mPa·s @40oC Solubility No data available. Partition coefficient n-octanol/water (Log Kow) : Not available No data available Vapour pressure • Vapour pressure at 50 °C No data available • : No data available Density · ≈ 0.625 Relative density Relative vapour density at 20 °C : No data available Particle size ÷ Not applicable Particle size distribution Not applicable ÷ Particle shape Not applicable · Particle aspect ratio : Not applicable Particle aggregation state ÷ Not applicable Particle agglomeration state Not applicable Particle specific surface area : Not applicable Particle dustiness : Not applicable

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

9.2. Other information		
9.2.1. Information with regard to physical hazard classes		
% of flammable ingredients Critical temperature	: 99.01 : No data available	
9.2.2. Other safety characteristics		
Dust deflagration index Relative evaporation rate (butylacetate=1) Relative evaporation rate (ether=1)	: No data available : No data available : No data available	

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Not classifiedNot classifiedNot classified

SECTION 11: Toxicological information

11.1. Information on hazar	d classes as defined i	n Regulation (EC) No 1272/2008
----------------------------	------------------------	------------------	----------------

Acute toxicity (oral)	
Acute toxicity (dermal)	
Acute toxicity (inhalation)	

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	
LD50 dermal rat 2800 – 3100 mg/kg bodyweight Animal: rat	
LC50 inhalation rat (mg/l)	> 25.2 mg/l air Animal: rat

Benzothiazole (95-16-9)		
LC50 inhalation rat (mg/l)	≈ 5 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)	
Skin corrosion/irritation	: Causes skin irritation. pH: Not applicable.	
Serious eye damage/irritation	: Not classified pH: Not applicable.	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

STOT-single exposure :	May cause drowsiness or dizziness.		
Hydrocarbons, C6-C7, n-alkanes, isoalkanes,	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane		
STOT-single exposure May cause drowsiness or dizziness.			
Hydrocarbons, C6, isoalkanes, <5% n-hexane	S		
STOT-single exposure	May cause drowsiness or dizziness.		
STOT-repeated exposure :	Not classified		
Aspiration hazard :	May be fatal if swallowed and enters airways.		
MXBON ACTIVATOR (DMPT FREE)			
Vaporizer	Aerosol		
Viscosity, kinematic	0.39 mm²/s @40oC		
11.2. Information on other hazards			

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general Hazardous to the aquatic environment, short-term (acute)	: Toxic to aquatic life with long lasting effects. : Not classified
Hazardous to the aquatic environment, long-term (chronic) Not rapidly degradable	: Toxic to aquatic life with long lasting effects.

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	
LOEC (chronic) 0.32 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	0.17 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

Benzothiazole (95-16-9)	
LC50 - Fish [1]	39 mg/l Test organisms (species): Oryzias latipes
EC50 - Daphnia [1]	19 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	48.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	1.5 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.5. Results of PBT and vPvB assessment No additional information available 12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

umber			
UN 1950	UN 1950	UN 1950	UN 1950
j name			
AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
ption			
UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1950 Aerosols, flammable, 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS
lass(es)			
2.1	2.1	2.1	2.1
· · · · ·			
Not applicable	Not applicable	Not applicable	Not applicable
ards			
Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
	AEROSOLS Definition UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS ass(es) 2.1 Not applicable Inds Dangerous for the environment : Yes	AEROSOLSAerosols, flammableotionUN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUSUN 1950 Aerosols, flammable, 2.1, ENVIRONMENTALLY HAZARDOUS2.12.12.12.12.12.1VIRONME VIRONME TALLY HAZARDOUSVIRONMENTALLY HAZARDOUSNot applicableNot applicableIndependent of the environment : Yes Marine pollutant : YesDangerous for the environment : Yes	AEROSOLSAerosols, flammableAEROSOLSDangerous for the environment : YesAerosols, flammable, 2.1, flammable, 2.1, ENVIRONMENTALLY HAZARDOUSUN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUSUN 1950 AEROSOLS, 2.1, flammable, 2.1, ENVIRONMENTALLY HAZARDOUSUN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS2.1UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUSUN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS2.1Image: Comparison of the environment : YesImage: Comparison of the environment : Yes

14.6. Special precautions for user

Overland transport

Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR)

- : 5F : 190, 327, 344, 625
- : 11
- : E0
- : P207, LP200

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provisions for carriage - Loading, unloading : CV9, CV12 and handling (ADR) : S2 Tunnel restriction code (ADR) : D	
Transport by seaSpecial provisions (IMDG): 63, 190, 277, 327, 344, 381, 9Packing instructions (IMDG): P207, LP200Special packing provisions (IMDG): PP87, L2EmS-No. (Fire): F-DEmS-No. (Spillage): S-UStowage category (IMDG): NoneStowage and handling (IMDG): SW1, SW22Segregation (IMDG): SG69)59
Air transportPCA Excepted quantities (IATA): E0PCA Limited quantities (IATA): Y203PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 203PCA max net quantity (IATA): 75kgCAO packing instructions (IATA): 203CAO max net quantity (IATA): 150kgSpecial provisions (IATA): A145, A167, A802	
ERG code (IATA): 10LInland waterway transport:Classification code (ADN): 5FSpecial provisions (ADN): 190, 327, 344, 625Limited quantities (ADN): 1 LExcepted quantities (ADN): E0Equipment required (ADN): PP, EX, AVentilation (ADN): VE01, VE04Number of blue cones/lights (ADN): 1	
Rail transportClassification code (RID): 5FSpecial provisions (RID): 190, 327, 344, 625Limited quantities (RID): 1LExcepted quantities (RID): E0Packing instructions (RID): P207, LP200Special packing provisions (RID): PP87, RR6, L2Mixed packing provisions (RID): MP9Transport category (RID): 2Special provisions for carriage – Packages (RID): W14Special provisions for carriage - Loading, unloading: CW9, CW12and handling (RID): CE2	
Hazard identification number (RID) : 23	

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Reference code	Applicable on
3(a)	MXBON ACTIVATOR (DMPT FREE) ; Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane ; Hydrocarbons, C6, isoalkanes, <5% n-hexanes
3(b)	MXBON ACTIVATOR (DMPT FREE) ; Benzothiazole ; Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane ; Hydrocarbons, C6, isoalkanes, <5% n-hexanes
3(c)	MXBON ACTIVATOR (DMPT FREE) ; Benzothiazole ; Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane
40.	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane ; Hydrocarbons, C6, isoalkanes, <5% n-hexanes

Contains no substance on the REACH candidate list

Organic solvent

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany	
Water hazard class (WGK)	: WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: None of the components are listed
SZW-lijst van mutagene stoffen	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Classification remarks	: Add boilingpoint; Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Gas 1A	Flammable gases, Category 1A

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Flam. Liq. 2	Flammable liquids, Category 2
Press. Gas (Comp.)	Gases under pressure : Compressed gas
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.