



according to 1907/2006/EC, Article 31

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Multi-Purpose Citrus CleaneHeavy Duty Citrus Degreaser & Degreaser
- · Product Code: Article number: 25711081100003
- · **UFI: UFI:** 912Y-197Q1-R0FH-W00O-SQVKQF8-600F-AD4F
- · 1.2 Relevant identified uses of the substance or mixture and uses advised

against · Life cycle stages

C Consumer use

PW Widespread use by professional

workers · Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

SU21 Consumer uses: Private households / general public / consumers

· Product category PC35 Washing and cleaning products (including solvent based

products) · Process category PROC11 Non industrial spraying

- · Technical function Cleaning agent
- · Application of the substance / the mixture

Degreaser

Cleaning agent

· 1.3 Details of the supplier of the safety data

sheet · Manufacturer/Supplier:

Supplier:

T.I Midwood & Co. Ltd
TIMCO House
Green Lane
Wardle
Nantwich
T.I Midwood & Co. Ltd
Aviemore House
Hill Street
Monahan
Ireland

CW5 6BJ

Emergency Help Line: 01865 407333 (24 hour service)

SECTION 2: Hazards identification

- \cdot 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

according to 1907/2006/EC, Article 31

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms



Hazard-determining components of labelling: Sodium

alkylbenzene sulfonate (R)-p-mentha-1,8-diene Alcohols, C9-11, ethoxylated

· Hazard statements

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects. ·

Precautionary statements

P102 Keep out of reach of children.P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations. • 2.3

Other hazards

· Results of PBT and vPvB assessment

- · **PBT**: Not applicable.
- · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 5989-27-5	(R)-p-mentha-1,8-diene	2.5-5%
EINECS: 227-813-5 Index number: 601-029-00-7 Reg.nr.: 01-2119529223-47-xxxx	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 68411-30-3	Sodium alkylbenzene sulfonate	≥1-<2.5%
EINECS: 270-115-0	Eye Dam. 1, H318	

according to 1907/2006/EC, Article 31

	Acute Tox. 4, H302; Skin Irrit. 2, H315 Aquatic Chronic 3, H412	
CAS: 68439-46-3	Alcohols, C9-11, ethoxylated	1-2.5%
EC number: 614-482-0	Eye Dam. 1, H318 Acute Tox. 4, H302	
· Additional information: Ing Anionic surfactants, Nonioni	redients according to Detergents Regulation 648/2004/EC	<5%
Perfumes (LIMONENE)		

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

2/10

(Contd. of page 2)

· After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Carbon dioxide

Alcohol resistant foam

- \cdot 5.2 Special hazards arising from the substance or mixture No further relevant information available. \cdot
- 5.3 Advice for firefighters · Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

· Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

according to 1907/2006/EC, Article 31

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.

Keep contaminated washing water and dispose of appropriately.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, universal binders).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Ensure good ventilation/exhaustion at the workplace.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities ·


Storage:


- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection according out 1907/1908/EC, Article 31 · Additional information about design of technical facilities: No further data; see item 7. · Ingredients with limit values that require monitoring at the workplace: CAS: 1310-58-3 Potassium hydroxide WEL (Great Britain) | Short-term value: 2 mg/m³

(Contd. on page 4)

· PNE	·PNECs			
CAS:	CAS: 5989-27-5 (R)-p-mentha-1,8-diene			
PNEC	C Freshwater mg/L	14 mg/L		
PNEC	C Marinewater µg/L	$1.4 \mu\mathrm{g/L}$		
PNEC	C Freshwater sediment	3.85 mg/Kg		
PNEC	C Marine water sediment	3.85 mg/Kg		
PNE	C Sewage treatment Plant mg/L	1.8 mg/L		
· DNELs				
CAS: 598	89-27-5 (R)-p-mentha-1,8-diene	?		
Oral	DNEL Long term-systemic	4.8 mg/kg human/day (consumer)		
Dermal	DNEL Long term-systemic	4.8 mg/kg human/day (consumer)		
		9.5 mg/kg human/day (worker)		
Inhalativ	e DNEL Long term-systemic mg	g/m3 16.6 mg/m3 (consumer)		
		66.7 mg/m3 (worker)		





according to 1907/2006/EC, Article 31

· 9.1 Information on basic physical a General Information · Appearance:	nd chemical properties ·	
Form:	Liquid	
Colour:	Colourless	
· Odour:	Citrus	
· Odour threshold:	Not determined.	
· pH-value at 20 °C:	11	
· Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range: 105 °C		
· Flash point:	Not applicable.	

Elammability (aclid cas).	Not applicable
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
	Not determined.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure at 20 °C:	23 hPa
· Density at 20 °C:	1.065 g/cm³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Fully miscible.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	2.7 %
Swiss VOC:	2.70 %
Solids content:	1.2 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- $\cdot \textbf{10.1 Reactivity} \ \textit{No further relevant information available.} \cdot \\$
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Do not store together with oxidising and acidic materials.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

according to 1907/2006/EC, Article 31

CAS: 59	989-27-	5 (R)-p-mentha-1,8-diene	
Oral	LD50	4,400 mg/kg (Rat)	
Dermal	LD50	>5,000 mg/kg (Rat)	
		>2,000 mg/kg (Rabbit)	
	EC50	34.1 mg/ltr (Daphnia magna (water flea))	
CAS: 68	CAS: 68439-46-3 Alcohols, C9-11, ethoxylated		
Oral	LD50	500 mg/kg (Rat)	
Dermal	LD50	2,000 mg/kg (Rat)	

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 14,577 mg/kg Dermal LD50 125,000 mg/kg

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.

according to 1907/2006/EC, Article 31

(Contd. of page

· Serious eye damage/irritation

Causes serious eye damage.

· Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity · Aquatic toxicity:	- 12.1 Toxicity · Aquatic toxicity:			
CAS: 5989-27-5 (R)-p-mentha-1,8-diene			
LC50 / 96 h	0.72 mg/ltr (fish)			
EC 50 / 72 H	0.688/mg/L (Selenastrum capricornutum (Algae))			
OECD test 301 D	>92 (biodegradation in % after 28 days)			
CAS: 68439-46-3	Alcohols, C9-11, ethoxylated			
LC50 / 96 h	5-7 mg/ltr (fish)			
EC 50 / 48 h	2.5 mg/ltr (Daphnia magna (water flea))			
EC 50 / 72 H	1.4 /mg/l (Selenastrum capricornutum (Algae))			

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised. Also poisonous for fish and plankton in water bodies. Toxic for aquatic

organisms

· 12.5 Results of PBT and vPvB assessment ·

PBT: Not applicable.

- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods ·

Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· European waste catalogue

HP14 Ecotoxic

- · Uncleaned packaging:
- · Recommendation: Disposal in accordance with administrative provisions

according to 1907/2006/EC, Article 31

SECTION 14: Transport information

- · 14.1 UN-Number
- · ADR, IMDG, IATA

UN3082

14.2 UN proper shipping name ADR 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CITRUS AURANTIUM DULCIS OIL) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID N.O.S. (CITRUS AURANTIUM DULCIS OIL), MARINE POLLUTANT LATTA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID N.O.S. (CITRUS AURANTIUM DULCIS OIL) 14.3 Transport hazard class(es) ADR	14 2 IIN proper chinni	
IMDG IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID N.O.S. (CITRUS AURANTIUM DULCIS OIL) 14.3 Transport hazard class(es) ADR		
IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUIL NO.S. (CITRUS AURANTIUM DULCIS OIL), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUIL N.O.S. (CITRUS AURANTIUM DULCIS OIL) 14.3 Transport hazard class(es) ADR	nDK	
N.O.S. (CITRUS AURANTIUM DULCIS OIL.), MARINÉ POPULIUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUII N.O.S. (CITRUS AURANTIUM DULCIS OIL.) 14.3 Transport hazard class(es) ADR	IMDC	
IATA	IMDG	
IATA		
N.O.S. (CITRUS AURANTIUM DULCIS OIL)	IATA	
14.3 Transport hazard class(es) ADR	22122	
ADR : : : : : : : : : : : : : : : : : :	143 Transport hazard	
		3(63)
-	ADK	
-	-	
-		
-		
-	-	
-	-	
-		
-		
-		
-		
-		
Total		
Total		
	.=	
Total		
The state of the		
· · · · · · · · · · · · · · · · · ·		
· · · · · · · · · · · · · · · · · ·		
 · · ·		

according to 1907/20	objec, Article 31
===	
,	·
.=== .~	
, <u> </u>	
	•
	•
	•
~» ·····	
	·
/	
=====	
//	
.==== /	
/	•
· · —-	
	<u>.</u>
	·

	·
	·
	·
	·
	·
	•
·- · · - · ·	·
	•
<u>-</u> -	
	•
· · · · · · · · · · · · · · · · · · ·	·
· · · · · · · · · · · · · · · · · · ·	
·- · · · ·	
·- · · · · · · · · · · · · · · · · · ·	•

according to 1907/2006/EC, Article 31	
~	
·····	
re e	

according to 19	907/2006/EC, Article 31	
	••	
_	_	
	_	
•	-	
-	-	
-		
· Class		9 (M6) Miscellaneous dangerous substances and articles.
· Label		9
· IMDG, IA	.TA	
_	•	
•		
-		
-		
/ -	e-3	
/	Z-3	
4/=11		
	•	
<i>(</i> 	6	
/===	ZNOTEN	
	· ·	
## = =\s	6.736 × 5	
2		
	7 Terr 5	
/====	6-1-22-6-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	
·		
/=====	· — ·	
·		
	·	
	* * * · · * · · * · · · *	
	*	
	· · · · · · · · · · · · · · · · · · ·	
	• • • • • • •	
	· · · · · · · · · · · · · · · · · · ·	
	• • • • • • • • • • • • • • • • • • • •	
· · ·	· · · · · · · · · · · · · · · · · · ·	
<u> </u>	\ ~	

· · · · · · · · · · · · · · · · · · ·	
· · · · · · · · · · · · · · · · · · ·	
· · · · · · · · · · · · · · · · · · ·	
•	
33. r 3	
53 · 4 · 3 · 4	
Va. 25. 7	

136	
·- ·	
-	
•	
Class	9 Miscellaneous dangerous substances and articles.
Label	9
14.4 Packing group	
ADR, IMDG, IATA	III
14.5 Environmental hazards:	Product contains environmentally hazardous substances:
	CITRUS AURANTIUM DULCIS OIL
Marine pollutant:	Yes
	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles
Hazard identification number (Kemler code):	90
EMS Number:	F- A , S - F
Stowage Category	A

· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.		
Transport/Additional information:		
ADR		
Limited quantities (LQ)	5L	
Excepted quantities (EQ)	Code: E1	
	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 1000 ml	
Transport category	3	
Tunnel restriction code	E	
Remarks:	Packaging containing 5Lt/Kg or less of product do NOT requi	
	labelling as hazardous for transport.	
<i>IMDG</i>		
Limited quantities (LQ)	5L	
Excepted quantities (EQ)	Code: E1	
	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 1000 ml	
· UN ''Model Regulation'':	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE	
	LIQUID, N.O.S. (CITRUS AURANTIUM DULCIS OIL), 9, II	

according to 1907/2006/EC, Article 31

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Reg (EC) n. 648/2004 - Detergents

Reg. (EC) n. 1272/2008 - CLP;

Reg. (EC) n. 2015/830 annex II of REACH;

Dir. 06/08 ADR - RID - IMDG - IATA;

Dir. 12/18 (Seveso III);

Dir. 2008/98/CE and Reg. (EC) n.1357/2014 (Waste management)

- · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms







GHS05

GHS07

GHS09

- · Signal word Danger
- · Hazard-determining components of labelling:

Sodium alkylbenzene sulfonate

(R)-p-mentha-1,8-diene

Alcohols, C9-11, ethoxylated

· Hazard statements

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P102 Keep out of reach of children. P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · National regulations:
- · Technical instructions (air):

Class	Share in %	,
NK	2.7	

- · Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

according to 1907/2006/EC, Article 31

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

8/10

(Contd. on page 9)

(Contd. of

page 8)

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

· Classification according to Regulation (EC) No 1272/2008 Calculation method

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Co

Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very

 $Bioaccumulative \$

 $WELL: \ The \ highest \ acceptable \ concentration$

IOELV: Indicative occupational exposure limit values

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

 ${\it Skin Irrit. 2: Skin corrosion/irritation-Category \, 2}$

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

 ${\it Skin Sens. 1: Skin sensitisation-Category 1}$

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

 $A quatic\ Chronic\ 2:\ Hazardous\ to\ the\ aquatic\ environment\ -\ long\ -term\ aquatic\ hazard\ -\ Category\ 2$

 $A quatic\ Chronic\ 3:\ Hazardous\ to\ the\ aquatic\ environment\ -\ long\ -term\ aquatic\ hazard\ -\ Category\ 3$

Annex: Exposure scenario

according to 1907/2006/EC, Article 31

- · Short title of the exposure scenario For the finished product.
- · Sector of Use

 $SU22 \ \ Professional \ uses: Public \ domain \ (administration, \ education, \ entertainment, \ services,$

craftsmen) SU21 Consumer uses: Private households / general public / consumers

• **Product category** PC35 Washing and cleaning products (including solvent based products) • **Process category** PROC11 Non industrial spraying • **Technical function**

Cleaning agent

- · Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet. · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical

parameters ·

Physical state

Fluid

· Concentration of the substance in the mixture The substance is main component. · Used amount per time or activity According to directions for use.

Smaller than 10 g per application.

- · Other operational conditions
- · Other operational conditions affecting environmental exposure Use only on hard ground. · Other operational conditions affecting worker exposure Avoid contact with the skin.

Avoid long-term or repeated skin contact. Avoid contact with eyes.

- · Other operational conditions affecting consumer exposure Keep out of the reach of children.
- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- · Technical protective

measures Use product only in

enclosed systems.

Ensure that suitable extractors are available on processing machines

· Personal protective measures

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Protective gloves

Avoid contact with the eyes.

Tightly sealed goggles

· Measures for consumer

protection Ensure adequate

labelling.

Keep locked up and out of the reach of children.

- · Environmental protection measures
- · Water

Do not allow to reach sewage system.

Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required. • Soil Prevent contamination of soil.

- · Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Waste type Partially emptied and uncleaned

packaging · Exposure estimation · Consumer

Not relevant for this Exposure Scenario.

The highest inhalative exposure to be expected for consumers is ppm.

The highest dermal exposure to be expected for consumers is mg/kg/day.

The highest oral exposure to be expected for consumers is mg/kg/day.

· Guidance for downstream users No further relevant information available.

according to 1907/2006/EC, Article 31

10/10

Head Office: TIMCO House, Green Lane, Wardle, Nantwich, CW5 6BJ | Tel: +44 (0)1829 261111 | Fax: +44 (0)1829 261102 | Web: timco.co.uk